

INNO TAINER COILS 30FT

TTU - FULLY OPEN



01

INNOVATIVE



02

EUROPEAN



03

PROFESSIONAL



04

ECOLOGICAL



05

MODULAR

FOR THE TRANSPORT OF HOT
AND COLD ROLLED COILS AS
WELL AS SPLIT STRIP COILS

”



Loading cradle



Locking Arm

SAFER TRANSPORT

Coils and split strip coils can be fixed easily and safely for transport by means of the tried and tested safety arms. Fabric-reinforced NBR elastomers offering optimum protection are used for the cradle lining, even for coils at higher temperatures.

SIMPLE HANDLING

With the yellow locking levers, the safety arms are pre-positioned on the coils. The locking arm is then lightly pressed against the coil by turning the yellow locking lever. Thanks to the self-locking mechanism, the coil is now ready for transport.


- > The equipment with three loading cradles and the tarpaulin cover optimize the transport of moisture-sensitive coils.
- > This tarpaulin cover can be folded together so that the loading area is completely free for loading and unloading.
- > The complete exposure of the loading area by only opening of the tarpaulin cover once can reduce the loading/unloading working time by up to 40%.
- > The optimized central locking system can only be opened and closed from one side at a time, thereby significantly improving the work safety compared to conventional coil wagons.



Coils

LOADING SCHEME

cradle	1	2	3
Ø min. (mm)	1000	1000	1000
Ø max. (mm)	2200	2200	2200
max. payload (t)	35,5	35,5	35,5



INNOTAINER COILS 30FT



WATCH THE VIDEO

InnoTainer Coils 30ft in Action



INNOFREIGHT Solutions GmbH
Grazer Straße 18, A-8600 Bruck an der Mur
Tel.: +43 3862 8989 242
info@innofreight.com
www.innofreight.com

